


**MADE IN AMERICA**

## BUILD YOUR OWN LED WRAP AROUND



### APPLICATIONS

- Commercial
- Residential
- Institutions

### PRODUCT FEATURES

<b>WATTAGES</b>	<b>Magnilumen Plus:</b> 2ft- 20W, 30W 4ft- 40W, 50W, 60W 8ft- 80W, 100W, 120W <b>Magnilumen Plus High Output:</b> 2ft- 30W 4ft- 60W 8ft- 100W, 120W
<b>COLOR TEMPS</b>	<b>Magnilumen Plus:</b> 30K, 35K, 40K, 50K, 65K, Green, Blue, Orange, Yellow, Red, Amber, Black Light <b>Magnilumen Plus High Output:</b> 40K, 50K Special Order: 30K, 35K
<b>INPUT VOLTAGE</b>	120/277VAC
<b>CRI</b>	83
<b>DIMMING</b>	0-10V
<b>AMBIENT TEMP</b>	-4°F - 123°F
<b>OPERATING FREQUENCY</b>	50/60Hz
<b>SIZE</b>	2ft, 4ft, 8ft
<b>LISTED</b>	ETL
<b>LED LIFESPAN (L70)</b>	<b>Magnilumen Plus:</b> 100,000 hours <b>Magnilumen Plus High Output:</b> 50,000 hours
<b>MOUNTING</b>	7/8" knockouts in top, sides and end plates. Unit is equipped with knockouts and holes for pendant or surface mounting. This fixture can be mounted individually or continuous run.
<b>HOUSING</b>	Die formed from heavy gauge steel and is finished in a baked white enamel.
<b>NUMBER OF BARS</b>	<b>Magnilumen Plus:</b> 2x2- 1, 2, or 3 bars 2x4- 1, 2, or 3 bars <b>Magnilumen Plus High Output:</b> 2x2- Max 2 bars 2x4- Max 2 bars
<b>WARRANTY</b>	Magnilumen Plus 7 year <b>Magnilumen Plus High Output 5 year</b> Magnilumen Plus Color 3 year



**MADE IN AMERICA**

## BUILD YOUR OWN LED WRAP AROUND



### PRODUCT BUILDER

PRODUCT	BODY TYPE	SIZE	COLOR TEMP	# OF BARS	WATTAGE	FIXTURE LENS	OPTIONS
ZL-201-LED	A=16 B=11 3/4"	2ft 4ft 8ft	30K 35K 40K 50K 65K Amber 585NM Red Green Blue Black Orange Yellow	2ft+4ft 1 2 8ft 2 4	2ft Only 20W 30W 4ft Only 40W 50W 60W 8ft Only 80W 100W 120W	PFL=Prismatic EC1= Parabolic Louvers .5" EC2= Parabolic Louvers 1.5"	EM=Emergency Driver (w/battery backup) Blank=None  <b>SENSORS</b> (Include Bi-Level) AO Driver Included with Motion Sensor EMS= External Motion Sensing IMS= Internal Motion Sensing



### HIGH OUTPUT PRODUCT BUILDER

PRODUCT	BODY TYPE	SIZE	COLOR TEMP	# OF BARS	WATTAGE	FIXTURE LENS	OPTIONS
ZL-201-LED	A=16 B=11 3/4"	2ft 4ft 8ft	40K 50K (Special Order) 30K 35K	2ft+4ft 1 2 8ft 2 4	2ft Only 30W 4ft Only 60W 8ft Only 100W 120W	PFL=Prismatic EC1= Parabolic Louvers .5" EC2= Parabolic Louvers 1.5"	EM=Emergency Driver (w/battery backup) Blank=None  <b>SENSORS</b> (Include Bi-Level) AO Driver Included with Motion Sensor EMS= External Motion Sensing IMS= Internal Motion Sensing



**MADE IN AMERICA**

## BUILD YOUR OWN LED WRAP AROUND



### LUMENS – STANDARD MAGNILUMEN PLUS

WATTAGE	MAGNILUMEN PLUS BARS	LUMENS WITH FROSTED LENS (STANDARD)	LUMENS WITH CLEAR LENS (OPTIONAL)	LUMENS WITH NO LENS
<b>2 FT UNIT</b>				
20	20W - 1 - 2ft bar	3000	3400	3600
30	30W - 2 - 2ft bars	4500	5100	5400
<b>4 FT UNIT</b>				
40	40W - 2 - 4ft bars	6000	6800	7200
50	50W - 2 - 4ft bars	7500	8500	9000
60	60W - 2 - 4ft bars	9000	10200	10800
<b>8 FT UNIT</b>				
80	80W - 4 - 4ft bars	12000	13600	14400
100	100W - 4 - 4ft bars	15000	17000	18000
120	120W - 4 - 4ft bars	18000	20400	21600



### LUMENS – MAGNILUMEN PLUS HIGH OUTPUT

WATTAGE	MAGNILUMEN PLUS BARS	LUMENS WITH FROSTED LENS (STANDARD)	LUMENS WITH CLEAR LENS (OPTIONAL)	LUMENS WITH NO LENS
<b>2 FT UNIT</b>				
30	30W - 1 - 2 ft bar	4350	4950	5250
<b>4 FT UNIT</b>				
60	60W - 1 - 4 ft bar	8700	9900	10500
<b>8 FT UNIT</b>				
100	100W - 4 - 4 ft bars	14500	16500	17500
120	120W - 4 - 4 ft bars	17400	19800	21000

