ZLED LIGHTING
ZLEDLIGHTING.COM

ZBLEND

JOB / PROJECT NAME _____

PRODUCT MODEL # _____

DATE _____

QUANTITY _____

PYRAMID CORN LAMP - WATTAGE AND COLOR SELECTABLE / ZBLEND



Concentrates Illumination Downward

30/40K or 30/50K

90 CRI, Blended LED alternating Chip Placement: A technology for more uniform and enhanced color rendering.



ETL Intertek IP20



LED Pyramid corn bulb is designed to meet the needs for indoor and outdoor lighting fixtures retrofit (base up). Replace the inside HID lamp, while retaining the fixture.

PRODUCT SPECIFICATIONS

WATTAGES	60/50/40W selectable 80/70/60W selectable
COLOR TEMPS ZBLEND	30/40K (35K equivalent) or 30/50K (40K equivalent) (Toggle Switch)
COLOR TEMPS	30/40/50K selectable 35/40/50K selectable
EFFICACY	150 lm/W
LUMENS	**40W-** 6,000; **50W-** 7,500; **60W-** 9,000; **70W-** 10,500; **80W-** 12,000
INPUT VOLTAGE	120/277V, 100-347V, 200-480V
CRI	80
CRI ZBLEND	90
BASE TYPE	E26, E39
OPERATING TEMP	68° to 113°F; 20° to 45°C
LED LIFESPAN (L70)	50,000 hours
BEAM ANGLE	360°
SURGE PROTECTION	4kV
DIMENSIONS	**60/50/40W-** 5" x 7.5" **80/70/60W-** 5.9" x 8.6"
SUGGESTED HID EQUIV.	**40W-** 125-150W; **50W-** 175-225W; **60W-** 225-250W; **70W-** 250-300W; **80W-** 250-400W
RATED	IP20
LISTED	ETL
WARRANTY	5 year

APPLICATIONS

Replace HID lamp

- Indoor/Outdoor Parking Garage Canopy Lighting Fixtures
- High Bay Fixtures
- Pole Top Lighting Fixtures
- Retail and Supermarkets
- Fitness Centers, Health Clubs
- Educational Gymnasiums and Indoor Sporting



ZBLEND Retail Shops



The Ultimate Evolution in LED Lighting with True Color Technology

ZLED LIGHTING
ZLEDLIGHTING.COM

ZBLEND

JOB / PROJECT NAME _____

PRODUCT MODEL # _____

DATE _____

QUANTITY _____

PYRAMID CORN LAMP - WATTAGE AND COLOR SELECTABLE / ZBLEND


PRODUCT BUILDER

ex: ZL-RL-PYR-E26-80/70/60W-ZBLEND-120/277V-80


TYPE		BASE		WATTAGE		COLOR TEMP		INPUT VOLTAGE		CRI
ZL-RL-PYR	-		-		-		-		-	
		E26 E39		80/70/60W selectable 60/50/40W selectable		ZBLEND =* 30/40K or 30/50K (toggle switch) 30/40/50K selectable 35/40/50K selectable		120/277V 100-347V 200-480V		80 90* ZBLEND

* ZBlend only available in 90 CRI.

DIMENSIONS



60/50/40W



80/70/60W

The Ultimate Evolution in LED Lighting with True Color Technology

ZLED LIGHTING
ZLEDLIGHTING.COM

ZBLEND

JOB / PROJECT NAME _____

PRODUCT MODEL # _____

DATE _____

QUANTITY _____

PYRAMID CORN LAMP - WATTAGE AND COLOR SELECTABLE / ZBLEND

INSTALLATION

All Pyramid Corn Lamps should only be installed by a licensed electrician.

1. Turn off the Power.
2. Carefully remove the existing lamp.
3. **Disconnect the input and output leads of the Ballast, and remove the ballast.**
   Please refer to below the schematic diagram.
5. Connecting the input leads of socket to the supply wires carefully.
6. Double check the Input wires of socket, and make sure all connections are correct.
7. Turn on the Power.

